

# SATO Safety Band DT Line

## DT Wristbands with Adhesive Fastening for Adults


For stays in hospitals up to 1 week, soft and resistant wristbands.

### Specifications

PRODUCT CHARACTERISTICS		
Printing Method	Direct Thermal	
Material	Anti-microbial synthetic polypropylene material	
Closure Type	Adhesive closure with tamper proof system	
Resistance	Water, hot water, soap, hand sanitizer, solvents	
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free	
MEDIA CHARACTERISTICS		
I-Mark position	Middle	
Outer Diameter	Less than 110mm	
Internal Core Diameter	40mm	
Packaging specifications	160165141 800184022	100 wrisbands/roll, 16 rolls/box 100 wristbands/roll, 20 rolls/box
PHYSICAL CHARACTERISTICS		
Item number	Adult 160165141	
Band Size (Adult)	292mm x 29mm	
Print Area	125mm x 29mm	
Item number	Adult Thin 800184022	
Band Size (Adult Thin)	292mm x 20mm	
Print Area	132,5mm x 20mm	
Available Colour	White	

### Layout

#### Adult DT



#### Adult DT Thin



#### Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

#### Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

# SATO Safety Band DT Line

## DT Wristbands with Adhesive Fastening for Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.


### Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free

MEDIA CHARACTERISTICS	
I-Mark position	Middle
Outer Diameter	80mm
Internal Core Diameter	40mm
Packaging specifications	125 bands / roll, 20 rolls per box

PHYSICAL CHARACTERISTICS	
Item Number	800118153
Band Size	187, 33mm x 20mm
Print Area	80mm x 20mm
Available Colour	White

### Layout



#### Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

#### Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

# SATO Safety Band DT Line

## DT Wristbands with Clip Fastening for Adults & Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.

### Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene soft material
Closure Type	Clip Closure with anti-microbial soft clips
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free

MEDIA CHARACTERISTICS	
I-Mark position	Middle
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging specifications (Adult)	100 wb / roll, 6 rolls per box, 600 anti-microbial soft clips
Packaging specifications (Infant)	125 wb / roll, 8 rolls per box, 1,000 anti-microbial soft clips


PHYSICAL CHARACTERISTICS	
Item Number	Adult 060007584
Band Size (Adult)	295mm x 29mm Print area 112mm x 29mm
Item Number	Infant/Child 060002722
Brand Size (Infant)	170mm x 15mm (Print area 79mm x 15mm)
Available Colour	White

### Layout

#### Adults



#### Infants/Children



#### Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

#### Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

[satoeurope.com](http://satoeurope.com)



## SATO WS2 Printer

Recommended for printing SATO DT Wristbands

All information in this leaflet is accurate as of 2022 March.  
Product specifications are subject to change without notice.  
Any unauthorized reproduction of the contents of this leaflet,  
in part or whole, is strictly prohibited.  
All other software, product or company names are trademarks  
or registered trademarks of their respective owners.

**SATO**  
Powered **On Site** /