

SATO
Powered On Site /



SATO Patient Wristbands

Patient Positive ID Wristbands

satoeurope.com



SATO
Powered On Site/

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.
©Copyright 2022 SATO Corporation. All rights reserved.

satoeurope.com

Contents

SATO Safety Band DT Line	04
DT Wristbands with Adhesive Fastening for Adults	
SATO Safety Band DT Line	05
DT Wristbands with Adhesive Fastening for Infants	
SATO Safety Band DT Line	06
DT Wristbands with Clip Fastening for Adults & Infants	
SATO Safety Band ECO Line	07
DT Wristband with Adhesive Fastening for Adults	
SATO Safety Band TT Line	08
TT Wristbands with Clip Fastening for Adults & Infants	
SATO Safety Band TT Line	09
TT Wristbands with Clip Fastening for Mothers & Babies	
SATO Safety Band UHF RFID	10
DT Adult Adhesive Wristband	



SATO Safety Band DT Line

DT Wristbands with Adhesive Fastening for Adults


For stays in hospitals up to 1 week, soft and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS		
Printing Method	Direct Thermal	
Material	Anti-microbial synthetic polypropylene material	
Closure Type	Adhesive closure with tamper proof system	
Resistance	Water, hot water, soap, hand sanitizer, solvents	
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free	
MEDIA CHARACTERISTICS		
I-Mark position	Middle	
Outer Diameter	Less than 110mm	
Internal Core Diameter	40mm	
Packaging specifications	160165141 800184022	100 wrisbands/roll, 16 rolls/box 100 wristbands/roll, 20 rolls/box
PHYSICAL CHARACTERISTICS		
Item number	Adult 160165141	
Band Size (Adult)	292mm x 29mm	
Print Area	125mm x 29mm	
Item number	Adult Thin 800184022	
Band Size (Adult Thin)	292mm x 20mm	
Print Area	132,5mm x 20mm	
Available Colour	White	

Layout

Adult DT



Adult DT Thin



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band DT Line

DT Wristbands with Adhesive Fastening for Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.


Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free

MEDIA CHARACTERISTICS	
I-Mark position	Middle
Outer Diameter	80mm
Internal Core Diameter	40mm
Packaging specifications	125 bands / roll, 20 rolls per box

PHYSICAL CHARACTERISTICS	
Item Number	800118153
Band Size	187, 33mm x 20mm
Print Area	80mm x 20mm
Available Colour	White

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band DT Line

DT Wristbands with Clip Fastening for Adults & Infants

For stays in hospitals up to 1 week, soft and resistant wristbands.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene soft material
Closure Type	Clip Closure with anti-microbial soft clips
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free

MEDIA CHARACTERISTICS	
I-Mark position	Middle
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging specifications (Adult)	100 wb / roll, 6 rolls per box, 600 anti-microbial soft clips
Packaging specifications (Infant)	125 wb / roll, 8 rolls per box, 1,000 anti-microbial soft clips


PHYSICAL CHARACTERISTICS	
Item Number	Adult 060007584
Band Size (Adult)	295mm x 29mm Print area 112mm x 29mm
Item Number	Infant/Child 060002722
Brand Size (Infant)	170mm x 15mm (Print area 79mm x 15mm)
Available Colour	White

Layout

Adults



Infants/Children



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band ECO Line

DT Wristband with Adhesive Fastening for Adults

For short stays in hospitals – reliable wristbands.

Custom-made product. Please check availability with customer service.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap
Certifications	ISO 19003-5 (Cytotoxicity), Latex free, Phthalates free, RoHS, REACH SVHC 144

MEDIA CHARACTERISTICS	
I-Mark position	Near edge
Internal Core Diameter	40mm
Packaging specifications	150 wb / roll, 8 rolls per box

PHYSICAL CHARACTERISTICS	
Item Number	P53040001102
Band Size (Adult)	292mm x 29mm
Available Colour	White

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band TT Line

TT Wristbands with Clip Fastening for Adults & Infants

For stays in hospitals longer than 1 week, extremely comfortable and resistant wristbands!

Specifications

PRODUCT CHARACTERISTICS		
Printing Method	Thermal Transfer	
Material	Anti-microbial soft and flexible material Emboss material for proper skin aeration	
Closure Type	Anti-microbial clip closure	
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil	
Certifications	ISO 22196, Latex free, Iron-Iron Oxide free, ISO 10993-5, ISO 10993-10	
MEDIA CHARACTERISTICS		
I-Mark position	Middle	
Ribbon	Security Ribbon to make the reading of patient information harder	
Packaging specifications	Adult: 75 wb/roll, 8 rolls/box, 600 anti-microbial soft clips Infant: 125 wb/roll, 8 rolls per box, 1.000 anti-microbial soft clips	
PHYSICAL CHARACTERISTICS		
Band Size (Adult)	293mm x 15mm (Thin Type), 293mm x 30mm (Large Type)	Item No: Adult Thin 0600025XX Item No: Adult Large 0600026XX
Band Size (Infant)	170mm x 15mm (Thin Type) , 170mm x 27mm (Large Type),	Item No: Infant Thin 06000272X Item No: Infant Large 06000277X
Available Colour	White, Yellow, Blue, Pink, Green (Adult); White, Pink Rabbit, Blue Star (Infant)	

Layouts

Adults/Infants/Children



Infants (thin type)



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band TT Line


TT Wristbands with Clip Fastening for Mothers & Babies

The All-in-One secure solution for mothers and infants. RFID wristband for patient identification & tracking.

Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Thermal Transfer
Material	Anti-microbial soft and flexible material Emboss material for proper skin aeration
Closure Type	Anti-microbial clip closure
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil
Certifications	ISO 22196, Latex free, Iron-Iron Oxide free, ISO 10993-5, ISO 10993-10
MEDIA CHARACTERISTICS	
Sensor	Hole
All-in-One	1 wristband for the mother, 2 wristbands for babies attached together
Ribbon	Security ribbon to make the reading of patient information harder
Packaging specifications	75 wb/roll, 8 rolls per box 600 soft clips for the mother and 1200 extra soft clips for babies
PHYSICAL CHARACTERISTICS	
Item Number	060007541
Band Size (Total)	340mm x 40mm
Band Size (Adult)	274mm x 17mm (Print area 105mm x 15mm)
Band Size (Infant)	160mm x 11mm (Print area 55mm x 9mm)
Available color	White - Pink - Yellow

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

SATO Safety Band UHF RFID

DT Adult Adhesive Wristband

RFID wristband for patient identification & tracking.


Specifications

PRODUCT CHARACTERISTICS	
Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene material
Closure Type	Adhesive closure with tamper proof system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free
MEDIA CHARACTERISTICS	
RFID standard	EPC Class1 Gen2, ISO/IEC 18000-6
Operating frequency	UHF 860-960MHz
Chip	NXP Ucode 8
IC memory size	EPC memory: 128bits, User memory: none
Black I-mark	Yes, near edge
Packaging specifications	75 wb/roll, 16 rolls per box
Use environment	5°C to 40°C, 40% to 80%RH
Storage	0 °C to 40°C, 30% to 80%RH
PHYSICAL CHARACTERISTICS	
Item Number	162014251
Wristband size	355.6mm x 29mm
RFID inlay size	56mm x 29 mm
Printable area	124mmx29mm
Available color	White
PERFORMANCE DATA	
Read range (as reference)	Around 2m*1 up to 10m*2
Encoding times	~100,000
Data retention	Up to 50 years

Read Range (as reference)

*1 When worn at wrist, *2 When nothing in contact. Depends on device, circumstance, frequency etc.

Layout



Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.


Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.



SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.
©Copyright 2022 SATO Corporation. All rights reserved.



SATO
Powered On Site /

satoeurope.com



SATO WS2 Printer

Recommended for printing SATO DT Wristbands

All information in this leaflet is accurate as of 2022 March.
Product specifications are subject to change without notice.
Any unauthorized reproduction of the contents of this leaflet,
in part or whole, is strictly prohibited.
All other software, product or company names are trademarks
or registered trademarks of their respective owners.

SATO
Powered **On Site** /