SATO
Powered On Site /

PW4NX

Print more with the PW4NX mobile printer due to its large roll capacity, wider print width and linerless capability. The printer will endure up to a 2.14m drop to concrete maximising uptime, making it the most rugged 4-inch mobile printer in the market

Vertical Applications

Manufacturing: Small components, electronics, automotive, compliance, product ID, serial numbering, shipping & receiving

Retail: Price labels/tags, shelf edge labels, warehousing, receiving, shipping labels, packaging slips

Logistics / Transportation: Shipping labels, parcel routing, reverse logistics, cross-docking, 3PL

Emulations

Our extensive library of the 6 most popular languages has helped many customers consolidate on a single model while not changing any backend code reducing the integration costs.

- Limited code changes existing systems with emulations
- Single model supports multiple host systems
- Six printer languages preinstalled
- Easy integration with existing host systems

SATO	ZEBRA	Intermec
SBPL	SZPL, SCPCL	SIPL
TOSHIBA	datamax·o'neil	HONEYWELL
STPCL	SDPL	SFPL

Powered On Site /

PW4NX Accesories

ACCESSORIES

	Lithium ION Battery WWPW4510N	PW4NX series only. Guideline for replacement is after about 300 charge/ discharge cycles. **Spec:** 14.4V at 2500 mAh (36.00 Wh)
	Printer Stand WWPW45C0N	Compact stand option for use in limited space. Great for use with fanfold labels.
	1 Ch Battery Charger WWPW4520N	A battery charger capable of charging 1 battery. Equipped with the Eco Charge function and also comes with an AC adapter. **Input:** DC19V 2.37A / **Output:** 16.8 1.25A AC/DC adapter included
	4 Ch Battery Charger WWPW4530N	A charger capable of charging up to 4 batteries. Equipped with the Eco Charge function and also comes with an AC adapter. **Input:** DC19V 4.74A / **Output:** 0.85A (x4) AC/DC adapter included
	Direct AC-DC power to printer WWPW4540N	Adapter for charging the battery attached to the printer. **Input:** AC100-240V , 1.5A / **Output:** DC19V 2.3A
	1 Bay Cradle WWPW4500N	Cradle in which the product is placed for charging. Allows you to easily load fan-fold media. Also includes an AC adapter. **Input:** AC100-240V , 1.5A / **Output:** DC19V 2.3A **Can be adapted:** Universal AMPS hole pattern

PORTABLE ACCESSORIES

	Soft Carrying Case WWPW4570N	An option for using the product hands-free. Also includes a shoulder strap
	Shoulder Strap WWPW45B0N	Adjustable and durable shoulder strap, providing comfortable hands-free carrying for enhanced mobility and convenience.
	Belt Loop WWPW4590N	An option for using the product hands-free.
	Hand Strap WWPW4580N	An option for easily carrying the product.

MOBILITY ACCESSORIES

	Battery Eliminator WWPW45F0N	The PW4NX Battery Eliminator can be used to power the PW4NX printer directly from a DC supply source, such as a forklift, without the need of a mobile printer battery installed. **Input:** DC12V to 50V / **Output:** DC16V, 2.5 A WWPW4510N Battery is then not needed.
	DC-DC Adapter WWPW4550N	A device for charging the product by connecting directly to a DC power supply, such as the customer's battery. **Input:** DC12V – 60V 5.0 A / **Output:** DC19V, 2.3A
	Cigarette Adapter WWPW4560N	An adapter for charging the product from a cigarette lighter socket in a car or truck. **Input:** DC12V – 60V 5.0 A / **Output:** DC19V, 2.3A

MOUNT ACCESSORIES

	RAM Double Ball Mount with Two Round Plates - C Size Medium RAM-101U	6 inch C size 1.5" double socket arm and two 2.5" diameter round ball bases that contain the universal AMPS hole pattern. Provides shock and vibration damping, and allows for adjustability and operating angle
	Brodit Standard Duty Pedestal Mount 202038	Standard duty Pedestal Mount. Total length: 153 mm. With ball head and wingnut. Mounting plate 42x50 mm with 4 mm AMPS-holes. Loading weight 3 kg.
	Zirkona Stand Mount 7160-1240-01	Zirkona Medium Stand. All metal construction (anodised aluminium). Supports AMPS hole pattern
	Joint Plate (SATO design) WWPW45G0N	Stainless Steel Metal Adapter for RAM and BRODIT Components (AMPS standard) **Recommended to be used with:** Battery Eliminator WWPW45F0N
	Mobile Printer Holder Y58199232104 Y58199232146	A robust, modular solution designed for securely mounting the PW4NX mobile printer in industrial or logistics environments. Including 3” and 1.5” roll adapter. **Recommended to be used with:** Battery Eliminator WWPW45F0N